

SOLID FLOOR



WALNUT

Solid floor is made of a single wooden element. It is also known as standard parquet as it has been the most popular of wooden flooring for generations. Its precise tongue and groove design enable perfect fitting and arranging. It blends modern with classical and it suits all types of rooms, in home, offices and hotels. Wooden floors impart character, warmth and elegance to any room.




TECHNICAL INFORMATION

ESSENCE	Walnut
THICKNESS	20 mm
WIDTHS	100 - 120 - 140 - 160 - 180 mm
LENGTHS	500 - 2200 mm
SURFACE	Brushed or unbrushed
FINISHES	Oiled or unfinished
WEIGHT	1 m ² around 15 kg

PACKAGING

1 → 500 - 2200



2 → 1800 - 2100

N1

Radial and tangent board permitted.
 Permitted sounds knots in color as wood up to 50 mm.
 Permitted few unsound knots up to 10mm.
 Sapwood permitted in trace
 (10% on principal face).

Widths 100-120-140-160-180 mm

Thickness
 20 mm

Lengths
 500-2200 mm



N1XX

Sapwood permitted with sounds knots up to 50 mm.

Widths 100-120-140-160-180 mm

Thickness
 20 mm

Lengths
 500-2200 mm



RUSTIC

All wood defect permitted.

Widths 100-120-140-160-180 mm

Thickness
 20 mm

Lengths
 500-2200 mm





Recycled / prodotti certificati FSC®

The mark of responsible forestry

FLORIAN

     	      	
   	  	<p>www.florianinc.com</p>